

PALOMA[®]
HIGH QUALITY SANITARY HARDWARE



EXCELLENT
GLASS
ACCESSORIES









EURO BRASS GLASS ACCESSORIES




Self closing from 25 degrees and self centering to 0 degrees in the close position.




Glass Door Installation Illustration



90° glass door hinge



135° glass door hinge



180° glass door hinge

FINISHING TECHNOLOGY

CHROME

Diamond chrome, beautiful and durable.



SATIN BRASS

Grace in details, a final touch for a luxury bathroom.



MATTE BLACK

Plated matte black, easy clean & fingerprint resistant.



BRUSHED GUNMETAL

Blending of black and white, embodiment of industry quality.









GLASS ACCESSORIES

Series 11







GAP 111

Glass accessories SH G/W BR 23344 (90°)



- 90° wall to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- chrome



GAP 112

Glass accessories SH G/G BR 23380 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- chrome



GAP 113

Glass accessories SH G/G BR 23392 (90°)





- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- chrome



GAP 1161

Glass accessories GC G/W BR 23090S (90°)





- 90° wall to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- chrome



GAP 1171

Glass accessories GC G/G BR 23090 (90°)





- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- chrome



GAP 112

Glass accessories SH G/W BR 23344 (90°)





- 90° wall to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- satin brass



GAP 112

Glass accessories SH G/G BR 23380 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- satin brass



GAP 113

Glass accessories SH G/G BR 23392 (90°)




- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- satin brass



GAP 1162

Glass accessories GC G/W BR 23090S (90°)



- 90° wall to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- satin brass



GAP 1172

Glass accessories GC G/G BR 23090 (90°)



- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- satin brass



GAP 1113

Glass accessories SH G/W BR 23344 (90°)



- 90° wall to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- matte black



GAP 1123

Glass accessories SH G/G BR 23380 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- matte black



GAP 1133

Glass accessories SH G/G BR 23392 (90°)




- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- matte black



GAP 1163

Glass accessories GC G/W BR 23090S (90°)



- 90° wall to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- matte black



GAP 1173

Glass accessories GC G/G BR 23090 (90°)



- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- matte black



GAP 114

Glass accessories SH G/W BR 23344 (90°)



- 90° wall to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- brushed gunmetal



GAP 112

Glass accessories SH G/G BR 23380 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- brushed gunmetal



GAP 113

Glass accessories SH G/G BR 23392 (90°)




- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±80°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- brushed gunmetal



GAP 1164

Glass accessories GC G/W BR 23090S (90°)

- 90° wall to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- brushed gunmetal



GAP 1174


Glass accessories GC G/G BR 23090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- brushed gunmetal


GLASS ACCESSORIES

Series 12







Narrow Gap, Wall Clearance 3mm



As Existing Gap 6.3mm



GAP 1201


Glass accessories SH G/W BR 10037 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- chrome


GAP 1211

Glass accessories SH G/W BR 10044 (90°)



- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- chrome



Narrow Gap, Wall Clearance 3mm







As Existing Gap 6.3mm



GAP 1221

Glass accessories SH G/G BR 10180 (180°)





- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass
- chrome







GAP 1231

Glass accessories SH G/G BR 10092 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- chrome





GAP 1241




Glass accessories SH G/G BR 10045 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass
- chrome

GAP 1261

Glass accessories GC G/W BR 10090S (90°)




- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- chrome




GAP 1271


Glass accessories GC G/G BR 10090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- chrome







Narrow Gap, Wall Clearance 3mm



As Existing Gap 6.3mm



GAP 1202


Glass accessories SH G/W BR 10037 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- satin brass


GAP 1212

Glass accessories SH G/W BR 10044 (90°)



- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- satin brass



Narrow Gap, Wall Clearance 3mm



As Existing Gap 6.3mm




GAP 1222

Glass accessories SH G/G BR 10180 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass
- satin brass



Narrow Gap, Wall Clearance 3mm



As Existing Gap 4.8mm




GAP 1232

Glass accessories SH G/G BR 10092 (90°)




- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- satin brass







Narrow Gap, Wall Clearance 4mm



As Existing Gap 6.3mm





GAP 1242





Glass accessories SH G/G BR 10045 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass
- satin brass

GAP 1262

Glass accessories GC G/W BR 10090S (90°)




- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- satin brass




GAP 1272


Glass accessories GC G/G BR 10090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- satin brass







Narrow Gap, Wall Clearance 3mm




As Existing Gap 6.3mm




GAP 1203

Glass accessories SH G/W BR 10037 (90°)



- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- matte black



Narrow Gap, Wall Clearance 3mm



As Existing Gap 6.3mm



GAP 1213





Glass accessories SH G/W BR 10044 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- matte black

GAP 1223

Glass accessories SH G/G BR 10180 (180°)





- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass
- matte black



GAP 1233

Glass accessories SH G/G BR 10092 (90°)





- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- matte black



GAP 1243

Glass accessories SH G/G BR 10045 (135°)




- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass
- matte black



GAP 1263

Glass accessories GC G/W BR 10090S (90°)



- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- matte black




GAP 1273


Glass accessories GC G/G BR 10090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- matte black







Narrow Gap, Wall Clearance 3mm



As Existing Gap 6.3mm



GAP 1204


Glass accessories SH G/W BR 10037 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- brushed gunmetal


GAP 1214

Glass accessories SH G/W BR 10044 (90°)



- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- brushed gunmetal



Narrow Gap, Wall Clearance 3mm







As Existing Gap 6.3mm



GAP 1224

Glass accessories SH G/G BR 10180 (180°)





- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass
- brushed gunmetal







GAP 1234

Glass accessories SH G/G BR 10092 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass & stainless steel SUS 304
- brushed gunmetal





GAP 1244




Glass accessories SH G/G BR 10045 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 65kg / 2 hinges
- solid brass
- brushed gunmetal

GAP 1264

Glass accessories GC G/W BR 10090S (90°)




- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- brushed gunmetal



GAP 1274

Glass accessories GC G/G BR 10090 (90°)



- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- brushed gunmetal



GLASS ACCESSORIES

Series 13







GAP 1301

Glass accessories SH G/W BR 10337 (90°)





- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- chrome



GAP 1311

Glass accessories SH G/W BR 10344 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- chrome



GAP 1321





Glass accessories SH G/G BR 10380 (180°)



- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- chrome

GAP 1331

Glass accessories SH G/G BR 10392 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- chrome





GAP 1341



Glass accessories SH G/G BR 10345 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- chrome

GAP 1361

Glass accessories GC G/W BR 090S (90°)




- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- chrome







GAP 1371

Glass accessories GC G/G BR 090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- chrome





GAP 1302





Glass accessories SH G/W BR 10337 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- satin brass

GAP 1312

Glass accessories SH G/W BR 10344 (90°)





- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- satin brass



GAP 1322

Glass accessories SH G/G BR 10380 (180°)





- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- satin brass



GAP 1332

Glass accessories SH G/G BR 10392 (90°)



- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- satin brass



GAP 1342

Glass accessories SH G/G BR 10345 (135°)



- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- satin brass



GAP 1362

Glass accessories GC G/W BR 090S (90°)





- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- satin brass







GAP 1372

Glass accessories GC G/G BR 090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- satin brass





GAP 1303





Glass accessories SH G/W BR 10337 (90°)





- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- matte black

GAP 1313

Glass accessories SH G/W BR 10344 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- matte black





GAP 1323





Glass accessories SH G/G BR 10380 (180°)



- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- matte black

GAP 1333

Glass accessories SH G/G BR 10392 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- matte black





GAP 1343



Glass accessories SH G/G BR 10345 (135°)


- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- matte black

GAP 1363



Glass accessories GC G/W BR 090S (90°)

- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- matte black







Glass	10mm	12mm
A	30mm	28mm
B	42mm	42mm



GAP 1373

Glass accessories GC G/G BR 090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- matte black



GAP 1304



Glass accessories SH G/W BR 10337 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- brushed gunmetal

GAP 1314

Glass accessories SH G/W BR 10344 (90°)





- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- brushed gunmetal



GAP 1324

Glass accessories SH G/G BR 10380 (180°)





- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- brushed gunmetal



GAP 1334

Glass accessories SH G/G BR 10392 (90°)




- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- brushed gunmetal



GAP 1344

Glass accessories SH G/G BR 10345 (135°)




- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door weight: 50kg / 2 hinges
- max. door opening: ±90°
- self closing from approx 25°
- solid brass & stainless steel SUS 304
- brushed gunmetal



GAP 1364

Glass accessories GC G/W BR 090S (90°)




- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- brushed gunmetal



GAP 1374



Glass accessories GC G/G BR 090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- brushed gunmetal



GLASS ACCESSORIES


Series 89



GAP 8901

Glass accessories DK BR 99300


- handles
- glass thickness: 10mm, 12mm
- solid brass
- chrome



GAP 8902

Glass accessories DK BR 99300


- handles
- glass thickness: 10mm, 12mm
- solid brass
- satin brass



GAP 8903

Glass accessories DK BR 99300

- handles
- glass thickness: 10mm, 12mm
- solid brass
- matte black



GAP 8904

Glass accessories DK BR 99300

- handles
- glass thickness: 10mm, 12mm
- solid brass
- brushed gunmetal


SHOWER HANDLES



SHP 1101

Shower handle 4060-SQ 600MM


- handles
- brass
- chrome



SHP 2101

Shower handle 19X538X500


- handles
- stainless steel SUS 304
- polished stainless steel



SHP 2201

Shower handle 25X200X500


- handles
- stainless steel SUS 304
- polished stainless steel



SHP 1102

Shower handle 4060-SQ 600MM


- handles
- brass
- satin brass



SHP 2102

Shower handle 19X538X500


- handles
- stainless steel SUS 304
- satin gold




SHP 2202

Shower handle 25X200X500

- handles
- stainless steel SUS 304
- satin gold






SHP 1103

Shower handle 4060-SQ 600MM


- handles
- brass
- matte black



SHP 2103

Shower handle 19X538X500

- handles
- stainless steel SUS 304
- matte black



SHP 2203


Shower handle 25X200X500

- handles
- stainless steel SUS 304
- matte black

SHP 1104

Shower handle 4060-SQ 600MM


- handles
- brass
- brushed gunmetal



SHP 2104

Shower handle 19X538X500

- handles
- stainless steel SUS 304
- gunmetal



SHP 2204

Shower handle 25X200X500

- handles
- stainless steel SUS 304
- gunmetal

