



EXCELLENT
GLASS
ACCESSORIES









EURO BRASS GLASS ACCESSORIES



Self closing from 25 degrees and self centering to 0 degrees in the close position.





Glass Door Installation Illustration



90° glass door hinge

135° glass door hinge



180° glass door hinge

FINISHING TECHNOLOGY

CHROME

Diamond chrome, beautiful and durable.



SATIN BRASS

Grace in details, a final touch for a luxury bathroom.



MATTE BLACK

Plated matte black, easy clean & fingerprint resistant.



BRUSHED GUNMETAL

Blending of black and white, embodiment of industry quality.



ROSE GOLD

Elegant & dignified, creating a bathroom of chic style.




BRUSHED ROSE GOLD

Revived brass color & retro style.









GLASS ACCESSORIES SHOWER HINGE & GLASS CLIP Series 11







GAP 1111

Glass Accessories Shower Hinge G/W BR 23344 (90°)



- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- chrome



GAP 1121

Glass Accessories Shower Hinge G/G BR 23380 (180°)



- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- chrome



GAP 1131

Glass Accessories Shower Hinge G/G BR 23392 (90°)



- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- chrome



GAP 1161

Glass Accessories Glass Clip G/W BR 23090S (90°)



- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- PALOMA exclusive design
- 10 years mechanical warranty
- chrome



GAP 1171

Glass Accessories Glass Clip G/G BR 23090 (90°)



- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- PALOMA exclusive design
- 10 years mechanical warranty
- chrome



GAP 1112

Glass Accessories Shower Hinge G/W BR 23344 (90°)



- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- satin brass



GAP 1122

Glass Accessories Shower Hinge G/G BR 23380 (180°)



- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- satin brass



GAP 1132

Glass Accessories Shower Hinge G/G BR 23392 (90°)



- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- satin brass



GAP 1162

Glass Accessories Glass Clip G/W BR 23090S (90°)




- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- PALOMA exclusive design
- 10 years mechanical warranty
- satin brass



GAP 1172

Glass Accessories Glass Clip G/G BR 23090 (90°)




- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- PALOMA exclusive design
- 10 years mechanical warranty
- satin brass



GAP 1113

Glass Accessories Shower Hinge G/W BR 23344 (90°)




- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- matte black



GAP 1123

Glass Accessories Shower Hinge G/G BR 23380 (180°)



- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- matte black



GAP 1133

Glass Accessories Shower Hinge G/G BR 23392 (90°)



- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- matte black



GAP 1163

Glass Accessories Glass Clip G/W BR 23090S (90°)




- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- PALOMA exclusive design
- 10 years mechanical warranty
- matte black



GAP 1173

Glass Accessories Glass Clip G/G BR 23090 (90°)




- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- PALOMA exclusive design
- 10 years mechanical warranty
- matte black



GAP 1114

Glass Accessories Shower Hinge G/W BR 23344 (90°)




- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- brushed gunmetal



GAP 1124

Glass Accessories Shower Hinge G/G BR 23380 (180°)



- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- brushed gunmetal



GAP 1134

Glass Accessories Shower Hinge G/G BR 23392 (90°)



- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 80^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- PALOMA exclusive design
- 10 years mechanical warranty
- brushed gunmetal



GAP 1164

Glass Accessories Glass Clip G/W BR 23090S (90°)

- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- PALOMA exclusive design
- 10 years mechanical warranty
- brushed gunmetal



GAP 1174

Glass Accessories Glass Clip G/G BR 23090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- PALOMA exclusive design
- 10 years mechanical warranty
- brushed gunmetal




GLASS ACCESSORIES SHOWER HINGE & GLASS CLIP Series 12



GAP 1201

Glass Accessories Shower Hinge G/W BR 10037 (90°)




- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- chrome






GAP 1211

Glass Accessories Shower Hinge G/W BR 10044 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- chrome





GAP 1221




Glass Accessories Shower Hinge G/G BR 10180 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass
- 10 years mechanical warranty
- chrome

GAP 1231

Glass Accessories Shower Hinge G/G BR 10092 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- chrome





GAP 1241



Glass Accessories Shower Hinge G/G BR 10045 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass
- 10 years mechanical warranty
- chrome

GAP 1261

Glass Accessories Glass Clip G/W BR 10090S (90°)


- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- chrome





GAP 1271




Glass Accessories Glass Clip G/G BR 10090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- chrome



Glass	10mm	12mm
A	30mm	28mm
B	42mm	42mm





GAP 1202




Glass Accessories Shower Hinge G/W BR 10037 (90°)




- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- satin brass

GAP 1212

Glass Accessories Shower Hinge G/W BR 10044 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- satin brass








GAP 1222

Glass Accessories Shower Hinge G/G BR 10180 (180°)


- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass
- 10 years mechanical warranty
- satin brass



GAP 1232

Glass Accessories Shower Hinge G/G BR 10092 (90°)



- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- satin brass



GAP 1242

Glass Accessories Shower Hinge G/G BR 10045 (135°)




- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass
- 10 years mechanical warranty
- satin brass



GAP 1262

Glass Accessories Glass Clip G/W BR 10090S (90°)


- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- satin brass





GAP 1272



Glass Accessories Glass Clip G/G BR 10090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- satin brass



Glass	10mm	12mm
A	30mm	28mm
B	42mm	42mm









Glass Accessories Shower Hinge G/W BR 10037 (90°)

- GAP 1213

Glass Accessories Shower Hinge G/W BR 10044 (90°)

-





GAP 1223




Glass Accessories Shower Hinge G/G BR 10180 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass
- 10 years mechanical warranty
- matte black

GAP 1233

Glass Accessories Shower Hinge G/G BR 10092 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- matte black





GAP 1243



Glass Accessories Shower Hinge G/G BR 10045 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass
- 10 years mechanical warranty
- matte black

GAP 1263

Glass Accessories Glass Clip G/W BR 10090S (90°)


- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- matte black





GAP 1273




Glass Accessories Glass Clip G/G BR 10090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- matte black



Glass	10mm	12mm
A	30mm	28mm
B	42mm	42mm





GAP 1204




Glass Accessories Shower Hinge G/W BR 10037 (90°)




- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- brushed gunmetal

GAP 1214

Glass Accessories Shower Hinge G/W BR 10044 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- brushed gunmetal





GAP 1224




Glass Accessories Shower Hinge G/G BR 10180 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass
- 10 years mechanical warranty
- brushed gunmetal

GAP 1234

Glass Accessories Shower Hinge G/G BR 10092 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- brushed gunmetal





GAP 1244



Glass Accessories Shower Hinge G/G BR 10045 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 65kg / 2 hinges
- on-off frequency 120.000 times
- solid brass
- 10 years mechanical warranty
- brushed gunmetal

GAP 1264

Glass Accessories Glass Clip G/W BR 10090S (90°)



- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- brushed gunmetal



GAP 1274




Glass Accessories Glass Clip G/G BR 10090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- brushed gunmetal



GLASS ACCESSORIES SHOWER HINGE & GLASS CLIP Series 13








GAP 1301

Glass Accessories Shower Hinge G/W BR 10337 (90°)




- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- chrome



GAP 1311

Glass Accessories Shower Hinge G/W BR 10344 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- chrome



GAP 1321




Glass Accessories Shower Hinge G/G BR 10380 (180°)

- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- chrome

GAP 1331

Glass Accessories Shower Hinge G/G BR 10392 (90°)




- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- chrome



GAP 1341

Glass Accessories Shower Hinge G/G BR 10345 (135°)




- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- chrome





GAP 1361

Glass Accessories Glass Clip G/W BR 090S (90°)

- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- chrome









GAP 1371

Glass Accessories Glass Clip G/G BR 090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- chrome






Glass Accessories Shower Hinge G/W BR 10337 (90°)

- GAP 1312

Glass Accessories Shower Hinge G/W BR 10344 (90°)

- 41
- ΠΑΛΟΝΔ**



GAP 1322




Glass Accessories Shower Hinge G/G BR 10380 (180°)

- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- satin brass

GAP 1332

Glass Accessories Shower Hinge G/G BR 10392 (90°)




- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- satin brass



GAP 1342

Glass Accessories Shower Hinge G/G BR 10345 (135°)




- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- satin brass



GAP 1362

Glass Accessories Glass Clip G/W BR 090S (90°)



- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- satin brass





GAP 1372




Glass Accessories Glass Clip G/G BR 090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- satin brass



Glass	10mm	12mm
A	30mm	28mm
B	42mm	42mm





GAP 1303




Glass Accessories Shower Hinge G/W BR 10337 (90°)




- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- matte black

GAP 1313

Glass Accessories Shower Hinge G/W BR 10344 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- matte black





GAP 1323




Glass Accessories Shower Hinge G/G BR 10380 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- matte black

GAP 1333

Glass Accessories Shower Hinge G/G BR 10392 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- matte black





GAP 1343




Glass Accessories Shower Hinge G/G BR 10345 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- matte black

GAP 1363

Glass Accessories Glass Clip G/W BR 090S (90°)

- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- matte black








GAP 1373




Glass Accessories Glass Clip G/G BR 090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- matte black



Glass	10mm	12mm
A	30mm	28mm
B	42mm	42mm





GAP 1304




Glass Accessories Shower Hinge G/W BR 10337 (90°)




- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- brushed gunmetal

GAP 1314

Glass Accessories Shower Hinge G/W BR 10344 (90°)

- 90° glass to wall
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- brushed gunmetal





GAP 1324




Glass Accessories Shower Hinge G/G BR 10380 (180°)




- 180° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- brushed gunmetal

GAP 1334

Glass Accessories Shower Hinge G/G BR 10392 (90°)

- 90° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- brushed gunmetal





GAP 1344




Glass Accessories Shower Hinge G/G BR 10345 (135°)

- 135° glass to glass
- double actions
- glass thickness: 10mm, 12mm
- max. door width: 1000mm / 2 hinges (10mm)
- max. door width: 800mm / 2 hinges (12mm)
- max. door height: 2200mm / 2 hinges, 2400mm / 3 hinges
- max. door weight: 50kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 25°
- on-off frequency 120.000 times
- solid brass & stainless steel SUS 304
- 10 years mechanical warranty
- brushed gunmetal

GAP 1364

Glass Accessories Glass Clip G/W BR 090S (90°)


- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- brushed gunmetal





GAP 1374

Glass Accessories Glass Clip G/G BR 090 (90°)

- 90° glass to glass clip
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- brushed gunmetal





Glass	10mm	12mm
A	30mm	28mm
B	42mm	42mm



GLASS ACCESSORIES SHOWER HINGE & GLASS CLIP Series 31







GAP 3101

Glass Accessories Shower Hinge G/W BR 3701 (90°)



- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- chrome



GAP 3111

Glass Accessories Shower Hinge G/W BR 3702 (90°)





- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- chrome



GAP 3121

Glass Accessories Shower Hinge G/G BR 3703 (180°)





- 180° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- chrome



GAP 3131

Glass Accessories Shower Hinge G/G BR 3704 (90°)





- 90° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- chrome



GAP 3141

Glass Accessories Shower Hinge G/G BR 3705 (135°)



- 135° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- chrome



GAP 3151

Glass Accessories Shower Hinge G/G BR 3706 T (90°)



- 90° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- chrome



GAP 3102

Glass Accessories Shower Hinge G/W BR 3701 (90°)



- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- satin brass



GAP 3112

Glass Accessories Shower Hinge G/W BR 3702 (90°)




- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- satin brass



GAP 3122

Glass Accessories Shower Hinge G/G BR 3703 (180°)




- 180° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- satin brass



GAP 3132

Glass Accessories Shower Hinge G/G BR 3704 (90°)



- 90° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- satin brass



GAP 3142

Glass Accessories Shower Hinge G/G BR 3705 (135°)



- 135° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- satin brass



GAP 3103

Glass Accessories Shower Hinge G/W BR 3701 (90°)



- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- matte black



GAP 3113

Glass Accessories Shower Hinge G/W BR 3702 (90°)





- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- matte black



GAP 3123

Glass Accessories Shower Hinge G/G BR 3703 (180°)





- 180° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- matte black



GAP 3133

Glass Accessories Shower Hinge G/G BR 3704 (90°)



- 90° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- matte black



GAP 3143

Glass Accessories Shower Hinge G/G BR 3705 (135°)



- 135° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- matte black



GAP 3104

Glass Accessories Shower Hinge G/W BR 3701 (90°)



- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed gunmetal



GAP 3114

Glass Accessories Shower Hinge G/W BR 3702 (90°)





- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed gunmetal



GAP 3124

Glass Accessories Shower Hinge G/G BR 3703 (180°)





- 180° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed gunmetal



GAP 3134

Glass Accessories Shower Hinge G/G BR 3704 (90°)



- 90° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed gunmetal



GAP 3144

Glass Accessories Shower Hinge G/G BR 3705 (135°)



- 135° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed gunmetal



GAP 3105

Glass Accessories Shower Hinge G/W BR 3701 (90°)



- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- rose gold



GAP 3115

Glass Accessories Shower Hinge G/W BR 3702 (90°)




- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- rose gold



GAP 3125

Glass Accessories Shower Hinge G/G BR 3703 (180°)




- 180° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- rose gold



GAP 3135

Glass Accessories Shower Hinge G/G BR 3704 (90°)



- 90° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- rose gold



GAP 3145

Glass Accessories Shower Hinge G/G BR 3705 (135°)



- 135° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- rose gold



GAP 3106

Glass Accessories Shower Hinge G/W BR 3701 (90°)



- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed rose gold



GAP 3116

Glass Accessories Shower Hinge G/W BR 3702 (90°)




- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed rose gold



GAP 3126

Glass Accessories Shower Hinge G/G BR 3703 (180°)




- 180° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed rose gold



GAP 3136

Glass Accessories Shower Hinge G/G BR 3704 (90°)




- 90° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed rose gold



GAP 3146

Glass Accessories Shower Hinge G/G BR 3705 (135°)




- 135° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- brushed rose gold



GAP 3107

Glass Accessories Shower Hinge G/W BR 3701 (90°)

- 90° glass to wall
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- french gold





GAP 3137

Glass Accessories Shower Hinge G/G BR 3704 (90°)

- 90° glass to glass
- double actions
- glass thickness: 8mm, 10mm
- max. door width: 800mm / 2 hinges
- max. door height: 2100mm / 2 hinges
- max. door weight: 45kg / 2 hinges
- max. door opening: $\pm 90^\circ$
- self closing from approx 30°
- on-off frequency 100.000 times
- solid brass
- 10 years mechanical warranty
- french gold

GLASS ACCESSORIES GLASS CLIP Series 41







GAP 4167

Glass Accessories Glass Clip G/W SS 318 (90°)


- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- SUS 304
- 10 years mechanical warranty
- polished stainless steel



GAP 4177

Glass Accessories Glass Clip G/G SS 318 (90°)




- 90° glass to glass
- glass thickness: 10mm, 12mm
- SUS 304
- 10 years mechanical warranty
- polished stainless steel



GAP 4187

Glass Accessories Glass Clip SS U320



- glass clip
- glass thickness: 8mm, 10mm
- SUS 304
- 10 years mechanical warranty
- polished stainless steel



GAP 4197

Glass Accessories Glass Clip SS U3541



- glass clip
- glass thickness: 8mm, 10mm
- SUS 304
- 10 years mechanical warranty
- polished stainless steel



GAP 4163

Glass Accessories Glass Clip G/W SS 318 (90°)


- 90° glass to wall clip
- glass thickness: 10mm, 12mm
- SUS 304
- 10 years mechanical warranty
- matte black



GAP 4173

Glass Accessories Glass Clip G/G SS 318 (90°)



- 90° glass to glass
- glass thickness: 10mm, 12mm
- SUS 304
- 10 years mechanical warranty
- matte black



GAP 4183

Glass Accessories Glass Clip SS U320

- glass clip
- glass thickness: 8mm, 10mm
- SUS 304
- 10 years mechanical warranty
- matte black




GAP 4193

Glass Accessories Glass Clip SS U3541

- glass clip
- glass thickness: 8mm, 10mm
- SUS 304
- 10 years mechanical warranty
- matte black

GLASS ACCESSORIES DOOR KNOB






GAP 8901

Glass Accessories Door Knob BR 99300


- handles
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- chrome



GAP 8902

Glass Accessories Door Knob BR 99300


- handles
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- satin brass



GAP 8903

Glass Accessories Door Knob BR 99300


- handles
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- matte black



GAP 8904

Glass Accessories Door Knob BR 99300


- handles
- glass thickness: 10mm, 12mm
- solid brass
- 10 years mechanical warranty
- brushed gunmetal



GAP 8101

Glass Accessories Door Knob AL 82901


- handles
- glass thickness: 10mm, 12mm
- aluminium
- 10 years mechanical warranty
- chrome



GAP 8103

Glass Accessories Door Knob AL 82901


- handles
- glass thickness: 10mm, 12mm
- aluminium
- 10 years mechanical warranty
- matte black



GAP 8111

Glass Accessories Door Knob AL 82903

- handles
- glass thickness: 10mm, 12mm
- aluminium
- 10 years mechanical warranty
- chrome



GAP 8113

Glass Accessories Door Knob AL 82903

- handles
- glass thickness: 10mm, 12mm
- aluminium
- 10 years mechanical warranty
- matte black


GLASS LOCK



GLP 2101

Glass Lock G/G SS 2100


- glass to glass
- glass thickness: 8mm, 12mm
- on-off frequency 120.000 times
- stainless steel SUS 304
- 10 years mechanical warranty
- satin stainless steel



GLP 2111

Glass Lock G/W SS 2100


- glass to wall
- glass thickness: 8mm, 12mm
- on-off frequency 120.000 times
- stainless steel SUS 304
- 10 years mechanical warranty
- satin stainless steel



GLP 2102

Glass Lock G/G SS 2100


- glass to glass
- glass thickness: 8mm, 12mm
- on-off frequency 120.000 times
- stainless steel SUS 304
- 10 years mechanical warranty
- matte black



GLP 2112

Glass Lock G/W SS 2100


- glass to wall
- glass thickness: 8mm, 12mm
- on-off frequency 120.000 times
- stainless steel SUS 304
- 10 years mechanical warranty
- matte black



SHOWER HANDLES




Shower Handles



SHP 1101

Shower Handle 4060-SQ 600MM


- handles
- brass
- 10 years mechanical warranty
- chrome



SHP 2101

Shower Handle 19X538X500

- handles
- stainless steel SUS 304
- 10 years mechanical warranty
- polished stainless steel



SHP 2201


Shower Handle 25X200X500

- handles
- stainless steel SUS 304
- 10 years mechanical warranty
- polished stainless steel

SHP 1102

Shower Handle 4060-SQ 600MM


- handles
- brass
- 10 years mechanical warranty
- satin brass



SHP 2102

Shower Handle 19X538X500


- handles
- stainless steel SUS 304
- 10 years mechanical warranty
- satin gold




SHP 2202

Shower Handle 25X200X500

- handles
- stainless steel SUS 304
- 10 years mechanical warranty
- satin gold






SHP 1103

Shower Handle 4060-SQ 600MM


- handles
- brass
- 10 years mechanical warranty
- matte black



SHP 2103

Shower Handle 19X538X500

- handles
- stainless steel SUS 304
- 10 years mechanical warranty
- matte black



SHP 2203


Shower Handle 25X200X500

- handles
- stainless steel SUS 304
- 10 years mechanical warranty
- matte black

SHP 1104

Shower Handle 4060-SQ 600MM


- handles
- brass
- 10 years mechanical warranty
- brushed gunmetal



SHP 2104

Shower Handle 19X538X500

- handles
- stainless steel SUS 304
- 10 years mechanical warranty
- gunmetal




SHP 2204

Shower Handle 25X200X500

- handles
- stainless steel SUS 304
- 10 years mechanical warranty
- gunmetal






SHP 2324

Shower Handle 25x200MM


- handles
- SUS 304
- 10 years mechanical warranty
- gunmetal



SHP 2344

Shower Handle 25x400MM

- handles
- SUS 304
- 10 years mechanical warranty
- gunmetal



SHP 2322

Shower Handle 25x200MM

- handles
- SUS 304
- 10 years mechanical warranty
- satin gold



www.palomahardware.com

